




N Fast-In Fittings



N series
Fast-In Fittings
尼龍管飛速系列

N Fast-In Fittings 尼龍管飛速系列



特點

應用於低壓之氣體、水或油之傳遞。
大多數使用於尼龍管、PE或PU管等熱塑軟管。
主體與螺帽皆可重複拆裝使用。

材質

接頭、螺帽均採用黃銅JIS3604材質加工而成。
彎頭、三通均採用黃銅JIS3771材質鍛造並加工而成。

工作溫度

空氣、油 -40°C~80°C
水 0°C~70°C

工作壓力

根據軟管可使用的壓力而定。

組裝步驟

1. 正交的剪切管到所需長度。
2. 先將螺帽穿過管，螺帽的螺紋端要朝外側。
3. 插入軟管至接頭內底端。
4. 先用手旋緊螺帽與主體，然後再用板手順時鐘旋緊 1/2 ~1圈，即組裝完成。

Characteristic

Use for air, water, oil in low pressure.
Use with thermoplastic tubing, like nylon tubing, PE or PU tubing.
Bodies and nuts can be assembled and disassembled repeatedly.

Material

Connectors, nuts are machined from brass JIS3604
Elbows, tees are forged and machined from brass JIS3771

Working Temperature

From -40°F~176°F for air, oil
From 32°F~158°F for water







Working Pressure

Depending on the max.operation pressure of the tubing used.




Assembly Instruction

1. Cut tubing squarely.
2. Slide nut onto tubing, the thread end of nut must face out.
3. Insert tubing into fitting until it bottoms on seat.
4. The nut should be screwed down finger tight, then the wrench-tightened 1/2~1 turns.




Adapter

<p>N00 英制螺帽 Inch Nut</p>  <p>Page N 3</p>	<p>N00 公制螺帽 Metric Nut</p>  <p>Page N 3</p>	<p>N01 由任接頭 Union</p>  <p>Page N 3</p>	<p>N10 夾壁式由任接頭 Bulkhead Union</p>  <p>Page N 11</p>	<p>N03 外牙接頭 Male Connector</p>  <p>Page N 5</p>	<p>N04 內牙接頭 Female Connector</p>  <p>Page N 6</p>
---	---	--	--	---	---

Elbow

<p>N09 由任彎頭 Union Elbow</p>  <p>Page N 11</p>	<p>N06 外牙彎頭 Male Elbow</p>  <p>Page N 8</p>	<p>N05 內牙彎頭 Female Elbow</p>  <p>Page N 7</p>			
---	---	---	--	--	--

Tee

<p>N02 由任三通 Union Tee</p>  <p>Page N 4</p>	<p>N07 牙邊三通 Run Tee</p>  <p>Page N 9</p>	<p>N08 牙中三通 Branch Tee</p>  <p>Page N 10</p>			
--	--	--	--	--	--

A/E
Pipe Fittings

A/E
Hose Barb

H
45° Flared

S
Compression

SB
Bite Type

N
Fast-In Fittings


NF
Ferrule Quick

P
Push-In Fittings


V
Valves

N00

螺帽 Nut




產品編號	適用管徑 D	直牙 T	L	HEX	I.D
PART NO.	TubeSize D	Thread T			
N00-04	4	M7×1.0	8	9	4.2
N00-06	6	M10-24	10	12	6.2
N00-25	8	7/16-24	11	14	8.2
N00-10	10	1/2-24	12	15	10.2
N00-12	12	M17-24	14	19	12.2



產品編號	適用管徑 D	直牙 T	L	HEX	I.D
PART NO.	TubeSize D	Thread T			
N00-2	1/4	M10-24	10	12	6.5
N00-25	5/16	7/16-24	11	14	8.2
N00-3	3/8	1/2-24	12	15	9.8
N00-4	1/2	M17-24	14	19	12.9

N01

由任接頭 Union



產品編號	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread					
N01-C04	4	M7×1.0	3.8	27	9	8	1.8
N01-C06	6	M10-24	5.6	32	12	12	3
N01-C25	8	7/16-24	6.9	34	14	12	4.5
N01-C10	10	1/2-24	8.3	36	15	12.7	5.2
N01-C12	12	M17-24	10.3	40	19	17	7




產品編號	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread					
N01-C2	1/4	M10-24	5.6	32	12	12	3
N01-C25	5/16	7/16-24	6.9	34	14	12	4.5
N01-C3	3/8	1/2-24	8.3	36	15	12.7	5.2
N01-C4	1/2	M17-24	11	40	19	17	8

A/E Pipe Fittings
A/E Hose Barb
H 45° Flared
S Compression
S/B Bite Type
N Fast-In Fittings
N/F Ferrule Quick
P Push-In Fittings
V Valves

N02

由任三通 Union Tee



產品編號	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread					
N02-T04	4	M7×1.0	3.8	19.7	9	8.5	1.8
N02-T06	6	M10-24	5.6	21.5	12	8.5	3
N02-T25	8	7/16-24	6.9	23	14	8.5	4.5
N02-T10	10	1/2-24	8.3	24	15	8.5	5.2
N02-T12	12	M17-24	10.3	29.5	19	12	7

產品編號	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread					
N02-T2	1/4	M10-24	5.6	21.5	12	8.5	3
N02-T25	5/16	7/16-24	6.9	23	14	8.5	4.5
N02-T3	3/8	1/2-24	8.3	24	15	8.5	5.2
N02-T4	1/2	M17-24	11	29.5	19	12	8

A/E Pipe Fittings

A/E Hose Barb

H 45° Flared

S Compression

S/B Bite Type

N Fast-In Fittings


N/F Ferrule Quick

P Push-In Fittings

V Valves

N03

外牙接頭 Male Connector




產品編號	管牙 T	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread					
N03-C05004	1/4-28UNF	4	M7×1.0	3.8	22.5	9	8	1.8
N03-C05006	1/4-28UNF	6	M10-24	5.6	25.5	12	10	3
N03-C1004	1/8	4	M7×1.0	3.8	24.5	9	10	1.8
N03-C1006	1/8	6	M10-24	5.6	27	12	10	3
N03-C1025	1/8	8	7/16-24	6.9	28	14	12	4.5
N03-C1010	1/8	10	1/2-24	8.3	29	15	12.7	5.2
N03-C2004	1/4	4	M7×1.0	3.8	28	9	14	1.8
N03-C2006	1/4	6	M10-24	5.6	30.5	12	14	3
N03-C2025	1/4	8	7/16-24	6.9	31.5	14	14	4.5
N03-C2010	1/4	10	1/2-24	8.3	32.5	15	14	5.2
N03-C2012	1/4	12	M17-24	10.3	34	19	17	7
N03-C3006	3/8	6	M10-24	5.6	30.5	12	17	3
N03-C3025	3/8	8	7/16-24	6.9	31.5	14	17	4.5
N03-C3010	3/8	10	1/2-24	8.3	32.5	15	17	5.2
N03-C3012	3/8	12	M17-24	10.3	34	19	17	7
N03-C4006	1/2	6	M10-24	5.6	34	12	21	3
N03-C4025	1/2	8	7/16-24	6.9	35	14	21	4.5
N03-C4010	1/2	10	1/2-24	8.3	36	15	21	5.2
N03-C4012	1/2	12	M17-24	10.3	37.5	19	21	7

產品編號	管牙 T	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread					
N03-C0502	1/4-28UNF	1/4	M10-24	5.6	25.5	12	10	3
N03-C102	1/8	1/4	M10-24	5.6	27	12	10	3
N03-C1025	1/8	5/16	7/16-24	6.9	28	14	12	4.5
N03-C103	1/8	3/8	1/2-24	8.3	29	15	12.7	5.2
N03-C202	1/4	1/4	M10-24	5.6	30.5	12	14	3
N03-C2025	1/4	5/16	7/16-24	6.9	31.5	14	14	4.5
N03-C203	1/4	3/8	1/2-24	8.3	32.5	15	14	5.2
N03-C204	1/4	1/2	M17-24	11	34	19	17	8
N03-C302	3/8	1/4	M10-24	5.6	30.5	12	17	3
N03-C3025	3/8	5/16	7/16-24	6.9	31.5	14	17	4.5
N03-C303	3/8	3/8	1/2-24	8.3	32.5	15	17	5.2
N03-C304	3/8	1/2	M17-24	11	34	19	17	8
N03-C402	1/2	1/4	M10-24	5.6	34	12	21	3
N03-C4025	1/2	5/16	7/16-24	6.9	35	14	21	4.5
N03-C403	1/2	3/8	1/2-24	8.3	36	15	21	5.2
N03-C404	1/2	1/2	M17-24	11	37.5	19	21	8

A/E
Pipe FittingsA/E
Hose BarbH
45° FlaredS
CompressionS B
Bite TypeN
Fast-In FittingsN F
Ferrule QuickP
Push-In FittingsV
Valves

N04

內牙接頭 Female Connector




產品編號	內管牙 T	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread					
N04-CM1004	1/8	4	M7×1.0	3.8	23	9	12	1.8
N04-CM1006	1/8	6	M10-24	5.6	25.5	12	12	3
N04-CM1025	1/8	8	7/16-24	6.9	26.5	14	12	4.5
N04-CM2006	1/4	6	M10-24	5.6	28.5	12	17	3
N04-CM2025	1/4	8	7/16-24	6.9	29.5	14	17	4.5
N04-CM2010	1/4	10	1/2-24	8.3	30.5	15	17	5.2
N04-CM2012	1/4	12	M17-24	10.3	32	19	17	7
N04-CM3006	3/8	6	M10-24	5.6	28.5	12	21	3
N04-CM3025	3/8	8	7/16-24	6.9	29.5	14	21	4.5
N04-CM3010	3/8	10	1/2-24	8.3	30.5	15	21	5.2
N04-CM3012	3/8	12	M17-24	10.3	32	19	21	7
N04-CM4006	1/2	6	M10-24	5.6	32	12	24	3
N04-CM4025	1/2	8	7/16-24	6.9	33	14	24	4.5
N04-CM4010	1/2	10	1/2-24	8.3	34	15	24	5.2
N04-CM4012	1/2	12	M17-24	10.3	35.5	19	24	7

產品編號	內管牙 T	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread					
N04-CM102	1/8	1/4	M10-24	5.6	25.5	12	12	3
N04-CM1025	1/8	5/16	7/16-24	6.9	26.5	14	12	4.5
N04-CM202	1/4	1/4	M10-24	5.6	28.5	12	17	3
N04-CM2025	1/4	5/16	7/16-24	6.9	29.5	14	17	4.5
N04-CM203	1/4	3/8	1/2-24	8.3	30.5	15	17	5.2
N04-CM204	1/4	1/2	M17-24	11	32	19	17	8
N04-CM302	3/8	1/4	M10-24	5.6	28.5	12	21	3
N04-CM3025	3/8	5/16	7/16-24	6.9	29.5	14	21	4.5
N04-CM303	3/8	3/8	1/2-24	8.3	30.5	15	21	5.2
N04-CM304	3/8	1/2	M17-24	11	32	19	21	8
N04-CM402	1/2	1/4	M10-24	5.6	32	12	24	3
N04-CM4025	1/2	5/16	7/16-24	6.9	33	14	24	4.5
N04-CM403	1/2	3/8	1/2-24	8.3	34	15	24	5.2
N04-CM404	1/2	1/2	M17-24	11	35.5	19	24	8

A/E
Pipe FittingsA/E
Hose BarbH
45° FlaredS
CompressionS/B
Bite TypeN
Fast-In FittingsN/F
Ferrule QuickP
Push-In FittingsV
Valves

N05

內牙彎頭 Female Elbow




產品編號	內管牙 T	適用管徑 D1	直牙	D2	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread						
N05-LM1006	1/8	6	M10-24	5.6	23	21	12	10	3
N05-LM1025	1/8	8	7/16-24	6.9	23	22	14	10	4.5
N05-LM2006	1/4	6	M10-24	5.6	26	22.5	12	10	3
N05-LM2025	1/4	8	7/16-24	6.9	26	23.5	14	10	4.5
N05-LM2010	1/4	10	1/2-24	8.3	26	24.5	15	10	5.2
N05-LM2012	1/4	12	M17-24	10.3	27	29	19	14	7
N05-LM3006	3/8	6	M10-24	5.6	28	25	12	14	3
N05-LM3025	3/8	8	7/16-24	6.9	28	26	14	14	4.5
N05-LM3010	3/8	10	1/2-24	8.3	28	27	15	14	5.2
N05-LM3012	3/8	12	M17-24	10.3	28	29	19	14	7

產品編號	內管牙 T	適用管徑 D1	直牙	D2	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread						
N05-LM102	1/8	1/4	M10-24	5.6	23	21	12	10	3
N05-LM1025	1/8	5/16	7/16-24	6.9	23	22	14	10	4.5
N05-LM202	1/4	1/4	M10-24	5.6	26	22.5	12	10	3
N05-LM2025	1/4	5/16	7/16-24	6.9	26	23.5	14	10	4.5
N05-LM203	1/4	3/8	1/2-24	8.3	26	24.5	15	10	5.2
N05-LM204	1/4	1/2	M17-24	11	27	29	19	14	8
N05-LM302	3/8	1/4	M10-24	5.6	28	25	12	14	3
N05-LM3025	3/8	5/16	7/16-24	6.9	28	26	14	14	4.5
N05-LM303	3/8	3/8	1/2-24	8.3	28	27	15	14	5.2
N05-LM304	3/8	1/2	M17-24	11	28	29	19	14	7

A / E
Pipe FittingsA / E
Hose BarbH
45° FlaredS
CompressionS B
Bite TypeN
Fast-In FittingsN F
Ferrule QuickP
Push-In FittingsV
Valves

N06

外牙彎頭 Male Elbow



產品編號	管牙 T	適用管徑 D1	直牙	D2	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread						
N06-L05004	1/4-28UNF	4	M7×1.0	3.7	16.5	17.7	9	8.5	1.8
N06-L05006	1/4-28UNF	6	M10-24	5.6	16.5	19.2	12	8.5	3
N06-L1004	1/8	4	M7×1.0	3.7	17.9	17.7	9	8.5	1.8
N06-L1006	1/8	6	M10-24	5.6	17.9	19.2	12	8.5	3
N06-L1025	1/8	8	7/16-24	6.9	17.9	20.7	14	8.5	4.5
N06-L1010	1/8	10	1/2-24	8.3	17.9	22	15	8.5	5
N06-L2004	1/4	4	M7×1.0	3.7	23	19	9	10	1.8
N06-L2006	1/4	6	M10-24	5.6	23	21	12	10	3
N06-L2025	1/4	8	7/16-24	6.9	23	22	14	10	4.5
N06-L2010	1/4	10	1/2-24	8.3	23	23	15	10	5.2
N06-L2012	1/4	12	M17-24	10.3	24.5	26	19	12	7
N06-L3006	3/8	6	M10-24	5.6	23.3	22.5	12	10	3
N06-L3025	3/8	8	7/16-24	6.9	23.3	23.5	14	10	4.5
N06-L3010	3/8	10	1/2-24	8.3	23.3	24.5	15	10	5.2
N06-L3012	3/8	12	M17-24	10.3	24.3	28	19	12	7
N06-L4006	1/2	6	M10-24	5.6	28.5	25	12	14	3
N06-L4025	1/2	8	7/16-24	6.9	28.5	26	14	14	4.5
N06-L4010	1/2	10	1/2-24	8.25	28.5	27	15	14	5.2
N06-L4012	1/2	12	M17-24	10.3	28.5	29	19	14	7

產品編號	管牙 T	適用管徑 D1	直牙	D2	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread						
N06-L0502	1/4-28UNF	1/4	M10-24	5.6	16.5	19.2	12	8.5	3
N06-L102	1/8	1/4	M10-24	5.6	17.9	19.2	12	8.5	3
N06-L1025	1/8	5/16	7/16-24	6.9	17.9	20.7	14	8.5	4.5
N06-L103	1/8	3/8	1/2-24	8.3	17.9	22	15	8.5	5
N06-L202	1/4	1/4	M10-24	5.6	23	21	12	10	3
N06-L2025	1/4	5/16	7/16-24	6.9	23	22	14	10	4.5
N06-L203	1/4	3/8	1/2-24	8.3	23	23	15	10	5.2
N06-L204	1/4	1/2	M17-24	11	24.5	26	19	12	7
N06-L302	3/8	1/4	M10-24	5.6	23.3	22.5	12	10	3
N06-L3025	3/8	5/16	7/16-24	6.9	23.3	23.5	14	10	4.5
N06-L303	3/8	3/8	1/2-24	8.3	23.3	24.5	15	10	5.2
N06-L304	3/8	1/2	M17-24	11	24.3	28	19	12	7
N06-L402	1/2	1/4	M10-24	5.6	28.5	25	12	14	3
N06-L4025	1/2	5/16	7/16-24	6.9	28.5	26	14	14	4.5
N06-L403	1/2	3/8	1/2-24	8.3	28.5	27	15	14	5.2
N06-L404	1/2	1/2	M17-24	11	28.5	29	19	14	8

A/E Pipe Fittings

A/E Hose Barb

H 45° Flared

S Compression

SB Bite Type

N Fast-In Fittings


NF Ferrule Quick

P Push-In Fittings

V Valves

N07

牙邊三通 Male Run Tee




產品編號	管牙 T	適用管徑 D1	直牙	D2	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread						
N07-T1004	1/8	4	M7×1.0	3.7	18.2	19.5	9	8.5	1.8
N07-T1006	1/8	6	M10-24	5.6	18.2	21.5	12	8.5	3
N07-T1025	1/8	8	7/16-24	6.9	18.2	23	14	8.5	4.5
N07-T1010	1/8	10	1/2-24	8.3	18.2	24	15	8.5	5
N07-T2006	1/4	6	M10-24	5.6	22.5	22	12	10	3
N07-T2025	1/4	8	7/16-24	6.9	22.5	23	14	10	4.5
N07-T2010	1/4	10	1/2-24	8.3	22.5	24	15	10	5.2
N07-T2012	1/4	12	M17-24	10.3	24	29.5	19	12	7
N07-T3006	3/8	6	M10-24	5.6	22.3	22.5	12	10	3
N07-T3025	3/8	8	7/16-24	6.9	22.3	23	14	10	4.5
N07-T3010	3/8	10	1/2-24	8.3	22.3	24	15	10	5.2
N07-T3012	3/8	12	M17-24	10.3	24.7	29.5	19	12	7
N07-T4006	1/2	6	M10-24	5.6	27.5	25	12	14	3
N07-T4025	1/2	8	7/16-24	6.9	27.5	26	14	14	4.5
N07-T4010	1/2	10	1/2-24	8.3	27.5	27	15	14	5.2
N07-T4012	1/2	12	M17-24	10.3	29.5	29.5	19	14	7

產品編號	管牙 T	適用管徑 D1	直牙	D2	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread						
N07-T102	1/8	1/4	M10-24	5.6	18.2	21.5	12	8.5	3
N07-T1025	1/8	5/16	7/16-24	6.9	18.2	23	14	8.5	4.5
N07-T103	1/8	3/8	1/2-24	8.3	18.2	24	15	8.5	5
N07-T202	1/4	1/4	M10-24	5.6	22.5	22	12	10	3
N07-T2025	1/4	5/16	7/16-24	6.9	22.5	23	14	10	4.5
N07-T203	1/4	3/8	1/2-24	8.3	22.5	24	15	10	5.2
N07-T204	1/4	1/2	M17-24	11	24	29.5	19	12	7
N07-T302	3/8	1/4	M10-24	5.6	22.3	22.5	12	10	3
N07-T3025	3/8	5/16	7/16-24	6.9	22.3	23	14	10	4.5
N07-T303	3/8	3/8	1/2-24	8.3	22.3	24	15	10	5.2
N07-T304	3/8	1/2	M17-24	11	24.7	29.5	19	12	7
N07-T402	1/2	1/4	M10-24	5.6	27.5	25	12	14	3
N07-T4025	1/2	5/16	7/16-24	6.9	27.5	26	14	14	4.5
N07-T403	1/2	3/8	1/2-24	8.3	27.5	27	15	14	5.2
N07-T404	1/2	1/2	M17-24	11	29.5	29.5	19	14	8

A / E
Pipe FittingsA / E
Hose BarbH
45° FlaredS
CompressionS B
Bite TypeN
Fast-In FittingsN F
Ferrule QuickP
Push-In FittingsV
Valves

N08

牙中三通 Male Branch Tee



產品編號	管牙 T	適用管徑 D1	直牙	D2	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread						
N08-T1004	1/8	4	M7×1.0	3.7	18.2	19.5	9	8.5	1.8
N08-T1006	1/8	6	M10-24	5.6	18.2	21.5	12	8.5	3
N08-T1025	1/8	8	7/16-24	6.9	18.2	23	14	8.5	4.5
N08-T1010	1/8	10	1/2-24	8.3	18.2	24	15	8.5	5
N08-T2006	1/4	6	M10-24	5.6	22.5	22	12	10	3
N08-T2025	1/4	8	7/16-24	6.9	22.5	23	14	10	4.5
N08-T2010	1/4	10	1/2-24	8.3	22.5	24	15	10	5.2
N08-T2012	1/4	12	M17-24	10.3	24	29.5	19	12	7
N08-T3006	3/8	6	M10-24	5.6	22.3	22	12	10	3
N08-T3025	3/8	8	7/16-24	6.9	22.3	23	14	10	4.5
N08-T3010	3/8	10	1/2-24	8.3	22.2	24	15	10	5.2
N08-T3012	3/8	12	M17-24	10.3	24.7	29.5	19	12	7
N08-T4006	1/2	6	M10-24	5.6	27.5	25.5	12	14	3
N08-T4025	1/2	8	7/16-24	6.9	27.5	26	14	14	4.5
N08-T4010	1/2	10	1/2-24	8.3	27.5	27	15	14	5.2
N08-T4012	1/2	12	M17-24	10.3	29.5	29.5	19	14	7

產品編號	管牙 T	適用管徑 D1	直牙	D2	L1	L2	HEX1	HEX2	I.D
PART NO.	PipeThread T	TubeSize D1	Thread						
N08-T102	1/8	1/4	M10-24	5.6	18.2	21.5	12	8.5	3
N08-T1025	1/8	5/16	7/16-24	6.9	18.2	23	14	8.5	4.5
N08-T103	1/8	3/8	1/2-24	8.3	18.2	24	15	8.5	5
N08-T202	1/4	1/4	M10-24	5.6	22.5	22	12	10	3
N08-T2025	1/4	5/16	7/16-24	6.9	22.5	23	14	10	4.5
N08-T203	1/4	3/8	1/2-24	8.3	22.5	24	15	10	5.2
N08-T204	1/4	1/2	M17-24	11	24	29.5	19	12	7
N08-T302	3/8	1/4	M10-24	5.6	22.3	22	12	10	3
N08-T3025	3/8	5/16	7/16-24	6.9	22.3	23	14	10	4.5
N08-T303	3/8	3/8	1/2-24	8.3	22.2	24	15	10	5.2
N08-T304	3/8	1/2	M17-24	11	24.7	29.5	19	12	7
N08-T402	1/2	1/4	M10-24	5.6	27.5	25.5	12	14	3
N08-T4025	1/2	5/16	7/16-24	6.9	27.5	26	14	14	4.5
N08-T403	1/2	3/8	1/2-24	8.3	27.5	27	15	14	5.2
N08-T404	1/2	1/2	M17-24	11	29.5	29.5	19	14	8

A/E Pipe Fittings

A/E Hose Barb

H 45° Flared

S Compression

S/B Bite Type

N Fast-In Fittings


N/F Ferrule Quick

P Push-In Fittings

V Valves

N09

由任彎頭 Union Elbow




產品編號	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread					
N09-L04	4	M7×1.0	3.7	20.2	9	8.5	1.8
N09-L06	6	M10-24	5.6	21.5	12	8.5	3
N09-L25	8	7/16-24	6.9	23	14	8.5	4.5
N09-L10	10	1/2-24	8.3	24	15	8.5	5.2
N09-L12	12	M17-24	10.3	29.5	19	12	7

產品編號	適用管徑 D1	直牙	D2	L	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread					
N09-L2	1/4	M10-24	5.6	21.5	12	8.5	3
N09-L25	5/16	7/16-24	6.9	23	14	8.5	4.5
N09-L3	3/8	1/2-24	8.3	24	15	8.5	5.2
N09-L4	1/2	M17-24	11	29.5	19	12	8

N10

夾壁式由任接頭 Bulkhead Union



產品編號	適用管徑 D1	直牙	D2	L1	L2 最小 L2 min	L2 最大 L2 max	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread							
N10-C06	6	M10-24	5.6	43.5	2	7	12	16	3
N10-C25	8	7/16-24	6.9	44.5	2	6	14	16	4.5
N10-C10	10	1/2-24	8.3	46.5	2	6.5	15	16	5.2

產品編號	適用管徑 D1	直牙	D2	L1	L2 最小 L2 min	L2 最大 L2 max	HEX1	HEX2	I.D
PART NO.	TubeSize D1	Thread							
N10-C2	1/4	M10-24	5.6	43.5	2	7	12	16	3
N10-C25	5/16	7/16-24	6.9	44.5	2	6	14	16	4.5
N10-C3	3/8	1/2-24	8.3	46.5	2	6.5	15	16	5.2